

2.0 Inventory of Resources

2.1 Village Mapping Systems

Topographic mapping is available for most of Greenwood Village (Village) with a 2-foot contour interval. The topographic mapping was completed in 1998 and includes an inventory of landscaping, structures, streets, and various other planimetric features. The horizontal control for the mapping is the Colorado State Plane Coordinate system, and vertical control is NGVD 1929. This vertical datum is different from the NGVD 1988 that is used for floodplain mapping. Although the difference varies somewhat by location, for the Village the NGVD 1929 is approximately 3 feet lower than the NGVD 1988. Each section quarter corner has a designated control point. The mapping is available electronically or in hardcopy form in quarter sections. Figure 2-1 is an index for the mapping system.

Updated aerial photography is also available and can be used in conjunction with the topographic mapping. The date of the aerial photography is 2002 and it is ortho-corrected to minimize horizontal distortions in the photography. The aerial photography is available electronically and/or in hardcopy.

The Community Development Department maintains a list of sources from which the maps and aerial photography can be purchased.

2.2 Perennial Streams and Lakes

The Village has 6 perennial streams within its corporate boundaries. They are:

- 1) Big Dry Creek
- 2) Little Dry Creek
- 3) Greenwood Gulch
- 4) Prentice Gulch
- 5) Goldsmith Gulch
- 6) Cottonwood Creek

In addition, several areas drain directly into Cherry Creek Reservoir. Figure 2-2 shows the locations of the above listed drainageways that are located in the Village. This mapping is available from the Village in electronic and hardcopy forms.

2.3 Wetlands

The Village has mapping available of inventoried wetlands within the corporate boundaries. Typically, the wetlands are located in the Major Drainageways. The inventoried wetland boundaries have been superimposed on the aerial photography of the Village and provided on Figure 2-3. This mapping should only be used for planning purposes and does not constitute an




official wetland delineation. Chapter 14.0 of the Greenwood Village Drainage Criteria Manual specifies the requirements for proper wetland delineation. This mapping is available from the Village in electronic and hardcopy forms.

2.4 Soils Mapping

The soil types of the Village have been classified by the Soil Conservation Service and are presented in the Soils Survey of Arapahoe County. For convenience, the soil series in the Village have been grouped into three general soil types. Figure 2-4 shows the individual soil classifications and the composite classifications. This mapping should be used for planning purposes and can be referenced for design information unless the Village requires site-specific classification of soil type. Chapter 6.0 of the Greenwood Village Drainage Criteria Manual provides additional information regarding soil types and their relationship to runoff. This mapping is available from the Village in electronic and hardcopy forms.

2.5 Urban Drainage and Flood Control District

Urban Drainage and Flood Control District (UDFCD) is an important resource for completing erosion and sediment control plans for the Village. UDFCD has authored the Urban Storm Drainage Criteria Manual Volumes 1, 2, and 3. The UDFCD Drainage Criteria Manual should be used concurrently with this Drainage Criteria Manual. However, when there are differences between the two manuals, the Greenwood Village Drainage Criteria Manual shall be used. Copies of the UDFCD Drainage Criteria Manual are available from UDFCD.





Greenwood Village
Inventory of Resources
October 2003

Figure 2-1
City Mapping System Index

LEGEND:

-  Pond
-  Perennial Stream



Greenwood Village
Inventory of Resources
October 2003

Figure 2-2
Perennial Streams and Ponds

P:\97003\027...image Code Update 2003\Figures\Fig 2-2-3.dwg. Layout1, 10/14/2003 01:55:54 PM, 1:1


LEGEND:

 Wetland Area



NORTH

SCALE: 1" = 3,000'





Greenwood Village
Inventory of Resources
October 2003

Figure 2-3
Inventoried Wetland Areas

LEGEND:

- TYPE I SOILS (CLAYS)
- TYPE II SOILS (CLAY LOAMS)
- TYPE III SOILS (SANDS AND GRAVELS)



SCS/MAP SYMBOL	GWV SOIL TYPE	SCS SOIL SERIES
AsD	II	Ascalon Sandy Loam (5-9% slope)
BuD	II	Bresser-Stapleton Sandy Loam
BvE	II	Bresser-Truckton Sandy Loam
BwD2	II	Bresser and Truckton Soil (3-9% slope, eroded)
BxD	II	Buick Loam (3-5% slope)
BxD	II	Buick Loam (5-9% slope)
FdB	II	Fondis Silt Loam (1-3% slope)
FdC	II	Fondis Silt Loam (3-5% slope)
FoC	II	Fondis-Colby Silt Loam
Gr	III	Gravelly Land
Lv	II	Loamy Alluvial Land
NIB	II	Nunn Loam
R1D	II	Renohill-Little Clay Loams (3-9% slope)
RdD	II	Renohill Loam (3-9% slope)
RhD	II	Renohill-Buick Loams (3-9% slope)
RhE	II	Renohill-Buick Loams (9-20% slope)
RtE	I	Renohill-Little-Thedalund
Tc	III	Terrace Escarpments (nearly vertical)
WeB	II	Weld Silt Loam
Wt	I	Wet Alluvial Land

Greenwood Village
Inventory of Resources
October 2003

Figure 2-4
Soil Classifications Map

2.0	INVENTORY OF RESOURCES.....	1
2.1	VILLAGE MAPPING SYSTEMS.....	1
2.2	PERENNIAL STREAMS AND LAKES	1
2.3	WETLANDS.....	1
2.4	SOILS MAPPING	2
2.5	URBAN DRAINAGE AND FLOOD CONTROL DISTRICT.....	2